

2027 Range

Rise

ORBEA

Rise Carbon SL

Height (cm)	In	Sizes
150-170	59.1”-66.9”	S
160-180	63.0”-70.9”	M
170-190	66.9”-74.8”	L
180-200	70.9”-78.7”	XL


Myo
CM

Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP

Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ

Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR

Escape Green Carbon View (Matt) - Cobalt Tide (Gloss)
IS



Size	S	M	L	XL
1 - Seat Tube (C-T)	400	410	420	440
2 - Top Tube (EFF)	568.28	595.22	622.17	649.11
3 - Head Tube	100	110	120	130
4 - Chainstay	443	443	443	443
5 - BB Drop	38.32	38.23	38.14	38.06
6 - BB Height	338.18	338.27	338.36	338.44
7 - Wheelbase	1199.56	1228.87	1258.1	1287.48
8 - Head Angle	65	64.99	64.98	64.97
9 - Seat Angle	78.22	78.21	78.2	78.19
10 - Rake	44	44	44	44
11 - Standover	801.79	809.9	817.96	826.09
12 - Reach	440.39	465.34	490.29	515.24
13 - Stack	613.37	622.27	631.18	640.1
14 - Fork Length	554	554	554	554

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise SL M-LTD RS 420W Ref. U339

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Myo
CM



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Escape Green Carbon View (Matt) - Cobalt Tide (Gloss)
IS



Escape Green Carbon View (Matt) - Cobalt Tide (Gloss) IS

Frame	Orbea Rise OMR
Shock	Fox Float Factory 2-Pos Adjust Evol LV Kashima custom tune 210x50mm
Fork	Fox 36 Float SL Factory 140, Grip X, 15x110, Kashima
Chainring	e*thirteen Helix Race e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano MT820-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC10 Carbon, Rise 20, Width 800
Op.	OC Mountain Control MC10 Carbon, Rise 35, Width 800
Stem	OC Mountain Control MC11 Alu SL, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano XTR M9250
Cable routing	Internal Cable Routing
Op.	External Cable Routing
Brakes	Shimano XTR 9220 Hydraulic Disc
Op.	Trickstuff Direttissima Hydraulic Disc
Rotors	Galfer Wave Rotors 180mm front / 180mm rear
Op.	Galfer Shark Rotors 203mm front / 203mm rear

Rear Derailleur	Shimano XTR M9290
Chain	Shimano CN-9100
Wheels	Oquo Mountain Control MC32LTD
Op.	Oquo Mountain Performance MP30LTD
Cassette	Shimano CS-M9200 10-51t 12-Speed
Tyres	Schwalbe Romy Trail Pro Radial, 29x2.40 Soft Compound, TLR
Op.	Schwalbe Wicked 2.4 S.Race Soft(F /2.4 S.Race Speedgrip(R
	Maxxis Rekon Race 2.40" 120TPI Exo TR
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" EXO+ TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Saddle	Fizik Terra Ridon X1 145mm
Dropper post	OC Mountain Control MC10, 31.6mm, Electronic Dropper
Lights	N/A
Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810
Battery	Orbea Internal 420Wh

Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller with eDropper Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	OC FLP Multitool MT-20, Hex 2, 3, 4, 5 + OC Rear axle lever (Hex 6 & valve core removal)
Tools 2	OC Rear axle lever (Hex 6 + valve core removal)

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise SL M-LTD RS 630W Ref. U342

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Myo
CM



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Escape Green Carbon View (Matt) - Cobalt Tide (Gloss)
IS



Escape Green Carbon View (Matt) - Cobalt Tide (Gloss) IS

Frame	Orbea Rise OMR
Shock	Fox Float Factory 2-Pos Adjust Evol LV Kashima custom tune 210x50mm
Fork	Fox 36 Float SL Factory 140, Grip X, 15x110, Kashima
Chainring	e*thirteen Helix Race e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano MT820-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC10 Carbon, Rise 20, Width 800
Op.	OC Mountain Control MC10 Carbon, Rise 35, Width 800
Stem	OC Mountain Control MC11 Alu SL, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano XTR M9250
Cable routing	Internal Cable Routing
Op.	External Cable Routing
Brakes	Shimano XTR 9220 Hydraulic Disc
Op.	Galfer Shark Rotors 203mm front / 203mm rear
	Trickstuff Direttissima Hydraulic Disc
Rotors	Galfer Wave Rotors 180mm front / 180mm rear

Rear Derailleur	Shimano XTR M9290
Chain	Shimano CN-9100
Wheels	Oquo Mountain Control MC32LTD
Op.	Oquo Mountain Performance MP30LTD
Cassette	Shimano CS-M9200 10-51t 12-Speed
Tyres	Schwalbe Romy Trail Pro Radial, 29x2.40 Soft Compound, TLR
Op.	Schwalbe Wicked 2.4 S.Race Soft(F /2.4 S.Race Speedgrip(R
	Maxxis Rekon Race 2.40" 120TPI Exo TR
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" EXO+ TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Saddle	Fizik Terra Ridon X1 145mm
Dropper post	OC Mountain Control MC10, 31.6mm, Electronic Dropper
Lights	N/A
Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810
Battery	Orbea Internal 630Wh

Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller with eDropper Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	OC FLP Multitool MT-20, Hex 2, 3, 4, 5 + OC Rear axle lever (Hex 6 & valve core removal)
Tools 2	OC Rear axle lever (Hex 6 + valve core removal)

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise SL M10 RS 420W Ref. U338

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Myo
CM



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss) IQ

Frame	Orbea Rise OMR
Shock	Fox Float Factory 2-Pos Adjust Evol LV Kashima custom tune 210x50mm
Fork	Fox 36 Float SL Factory 140, Grip X, 15x110, Kashima
Chainring	e*thirteen Helix Core e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano UT610-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC21 Alu SL, Rise20, Width 800
Op.	OC Mountain Control MC10 Carbon, Rise 35, Width 800
	OC Mountain Control MC10 Carbon, Rise 20, Width 800
Grips	Ergon GXR
Stem	OC Mountain Control MC20, 0º
Op.	OC Mountain Control MC11 Alu SL, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano XT M8250
Cable routing	Internal Cable Routing
Op.	External Cable Routing
Brakes	Shimano MT620 Hydraulic Disc

Op.	Shimano XT 8220 Hydraulic Disc
Rotors	Galfer Wave Rotors 180mm front / 180mm rear
Op.	Galfer Shark Rotors 203mm front / 203mm rear
Rear Derailleur	Shimano XT M8290
Chain	Shimano M7100
Wheels	Oquo Mountain Control MC32PRO
Op.	Oquo Mountain Control MC32LTD
Cassette	Shimano CS-M7200 10-51t 12-Speed
Tyres	Schwalbe Romy Trail Pro Radial, 29x2.40 Soft Compound, TLR
Op.	Schwalbe Wicked 2.4 S.Race Soft(F /2.4 S.Race Speedgrip(R
	Maxxis Rekon Race 2.40" 120TPI Exo TR
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" EXO+ TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Saddle	Fizik Terra Ridon X5 145mm
Dropper post	OC Mountain Control MC10, 31.6mm, Electronic Dropper
Lights	N/A
Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide

Motor	Shimano EP810
Battery	Orbea Internal 420Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller with eDropper Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	OC FLP Multitool MT-20, Hex 2, 3, 4, 5 + OC Rear axle lever (Hex 6 & valve core removal)
Tools 2	OC Rear axle lever (Hex 6 + valve core removal)

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise SL M10 RS 630W Ref. U341

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Myo
CM



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss) IQ

Frame	Orbea Rise OMR
Shock	Fox Float Factory 2-Pos Adjust Evol LV Kashima custom tune 210x50mm
Fork	Fox 36 Float SL Factory 140, Grip X, 15x110, Kashima
Chainring	e*thirteen Helix Core e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano UT610-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC21 Alu SL, Rise20, Width 800
Op.	OC Mountain Control MC10 Carbon, Rise 35, Width 800
	OC Mountain Control MC10 Carbon, Rise 20, Width 800
Grips	Ergon GXR
Stem	OC Mountain Control MC20, 0º
Op.	OC Mountain Control MC11 Alu SL, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano XT M8250
Cable routing	Internal Cable Routing
Op.	External Cable Routing
Brakes	Shimano MT620 Hydraulic Disc

Op.	Shimano XT 8220 Hydraulic Disc
Rotors	Galfer Wave Rotors 180mm front / 180mm rear
Op.	Galfer Shark Rotors 203mm front / 203mm rear
Rear Derailleur	Shimano XT M8290
Chain	Shimano M7100
Wheels	Oquo Mountain Control MC32PRO
Op.	Oquo Mountain Control MC32LTD
Cassette	Shimano CS-M7200 10-51t 12-Speed
Tyres	Schwalbe Romy Trail Pro Radial, 29x2.40 Soft Compound, TLR
Op.	Schwalbe Wicked 2.4 S.Race Soft(F /2.4 S.Race Speedgrip(R
	Maxxis Rekon Race 2.40" 120TPI Exo TR
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" EXO+ TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Saddle	Fizik Terra Ridon X5 145mm
Dropper post	OC Mountain Control MC10, 31.6mm, Electronic Dropper
Lights	N/A
Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide

Motor	Shimano EP810
Battery	Orbea Internal 630Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller with eDropper Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	OC FLP Multitool MT-20, Hex 2, 3, 4, 5 + OC Rear axle lever (Hex 6 & valve core removal)
Tools 2	OC Rear axle lever (Hex 6 + valve core removal)

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise SL M20 420W

Ref. U337

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Myo
CM



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss) IP

Frame	Orbea Rise OMR
Shock	Fox Float Factory 2-Pos Adjust Evol LV Kashima custom tune 210x50mm
Fork	Fox 36 Float SL Factory 140, Grip X, 15x110, Kashima
Chainring	e*thirteen Helix Core e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano UT610-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC31, Rise20, Width 800
Grips	OC Lock On
Stem	OC Mountain Control MC20, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano Deore M6200 I-Spec EV
Cable routing	Internal Cable Routing
Op.	External Cable Routing
Brakes	Shimano MT600 Hydraulic Disc
Op.	Shimano XT 8220 Hydraulic Disc
Rotors	Galfer Wave Rotors 180mm front / 180mm rear
Op.	Galfer Shark Rotors 203mm front / 203mm rear

Rear Derailleur	Shimano XT M8200 SGS Shadow Plus
Op.	Shimano XT Di2 M8290 12s SGS Shadow Plus + Shifter M8250
Chain	Shimano M6100
Wheels	Race Face AR 30c Tubeless Ready
Op.	Oquo Mountain Control MC32TEAM
Cassette	Shimano CS-M7200 10-51t 12-Speed
Tyres	Schwalbe Romy Trail Pro Radial, 29x2.40 Soft Compound, TLR
Op.	Schwalbe Wicked 2.4 S.Race Soft(F /2.4 S.Race Speedgrip(R
	Maxxis Rekon Race 2.40" 120TPI Exo TR
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" EXO+ TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Saddle	Fizik Terra Ridon X5 145mm
Seatpost Remote	Shimano SL-MT500 I-Spec EV
Dropper post	OC Mountain Control MC22, 31.6mm, Dropper
Op.	OC Mountain Control MC10, 31.6mm, eDropper
	OC Mountain Control MC10, 31.6mm, Dropper
Lights	N/A

Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810
Battery	Orbea Internal 420Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	N/A
Op.	OC MT-20 FLP Multitool 2/3/4/5mm hex + OC Rear Axle lever

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise SL M20 630W

Ref. U340

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Myo
CM



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss) IP

Frame	Orbea Rise OMR
Shock	Fox Float Factory 2-Pos Adjust Evol LV Kashima custom tune 210x50mm
Fork	Fox 36 Float SL Factory 140, Grip X, 15x110, Kashima
Chainring	e*thirteen Helix Core e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano UT610-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC31, Rise20, Width 800
Grips	OC Lock On
Stem	OC Mountain Control MC20, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano Deore M6200 I-Spec EV
Cable routing	Internal Cable Routing
Op.	External Cable Routing
Brakes	Shimano MT600 Hydraulic Disc
Op.	Shimano XT 8220 Hydraulic Disc
Rotors	Galfer Wave Rotors 180mm front / 180mm rear
Op.	Galfer Shark Rotors 203mm front / 203mm rear

Rear Derailleur	Shimano XT M8200 SGS Shadow Plus
Op.	Shimano XT Di2 M8290 12s SGS Shadow Plus + Shifter M8250
Chain	Shimano M6100
Wheels	Race Face AR 30c Tubeless Ready
Op.	Oquo Mountain Control MC32TEAM
Cassette	Shimano CS-M7200 10-51t 12-Speed
Tyres	Schwalbe Romy Trail Pro Radial, 29x2.40 Soft Compound, TLR
Op.	Schwalbe Wicked 2.4 S.Race Soft(F /2.4 S.Race Speedgrip(R
	Maxxis Rekon Race 2.40" 120TPI Exo TR
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" EXO+ TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Saddle	Fizik Terra Ridon X5 145mm
Seatpost Remote	Shimano SL-MT500 I-Spec EV
Dropper post	OC Mountain Control MC22, 31.6mm, Dropper
Op.	OC Mountain Control MC10, 31.6mm, eDropper
	OC Mountain Control MC10, 31.6mm, Dropper
Lights	N/A

Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810
Battery	Orbea Internal 630Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	N/A
Op.	OC MT-20 FLP Multitool 2/3/4/5mm hex + OC Rear Axle lever

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise SL M30 420W

Ref. U330

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss) IP

Frame	Orbea Rise OMR
Shock	Fox Float Performance 2-Pos Evol LV custom tune 210x50mm
Fork	Fox 36 Float SL Performance 140, Grip, 3-Pos, 15x110
Chainring	e*thirteen Helix Core e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano UT610-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC31, Rise20, Width 800
Grips	OC Lock On
Stem	OC Mountain Control MC20, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano Deore M6200 I-Spec EV
Cable routing	Internal Cable Routing
Op.	External Cable Routing
Brakes	Shimano MT410 Hydraulic Disc
Op.	Shimano XT 8220 Hydraulic Disc
Rotors	Galfer Wave Rotors 180mm front / 180mm rear
Op.	Galfer Shark Rotors 203mm front / 203mm rear

Rear Derailleur	Shimano Deore M6200 SGS Shadow Plus
Chain	Shimano M6100
Wheels	Race Face AR 30c Tubeless Ready
Cassette	Shimano CS-M6200 10-51t 12-Speed
Tyres	Schwalbe Romy Trail Pro Radial, 29x2.40 Soft Compound, TLR
Op.	Schwalbe Wicked 2.4 S.Race Soft(F /2.4 S.Race Speedgrip(R
	Maxxis Rekon Race 2.40" 120TPI Exo TR
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" EXO+ TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Saddle	Fizik Terra Ridon X5 145mm
Seatpost Remote	Shimano SL-MT500 I-Spec EV
Dropper post	OC Mountain Control MC22, 31.6mm, Dropper
Op.	OC Mountain Control MC10, 31.6mm, Dropper
Lights	N/A
Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810

Battery	Orbea Internal 420Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	N/A
Op.	OC MT-20 FLP Multitool 2/3/4/5mm hex + OC Rear Axle lever

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise SL M30 630W

Ref. U331

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss) IP

Frame	Orbea Rise OMR
Shock	Fox Float Performance 2-Pos Evol LV custom tune 210x50mm
Fork	Fox 36 Float SL Performance 140, Grip, 3-Pos, 15x110
Chainring	e*thirteen Helix Core e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano UT610-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC31, Rise20, Width 800
Grips	OC Lock On
Stem	OC Mountain Control MC20, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano Deore M6200 I-Spec EV
Cable routing	Internal Cable Routing
Op.	External Cable Routing
Brakes	Shimano MT410 Hydraulic Disc
Op.	Shimano XT 8220 Hydraulic Disc
Rotors	Galfer Wave Rotors 180mm front / 180mm rear
Op.	Galfer Shark Rotors 203mm front / 203mm rear

Rear Derailleur	Shimano Deore M6200 SGS Shadow Plus
Chain	Shimano M6100
Wheels	Race Face AR 30c Tubeless Ready
Cassette	Shimano CS-M6200 10-51t 12-Speed
Tyres	Schwalbe Romy Trail Pro Radial, 29x2.40 Soft Compound, TLR
Op.	Schwalbe Wicked 2.4 S.Race Soft(F /2.4 S.Race Speedgrip(R
	Maxxis Rekon Race 2.40" 120TPI Exo TR
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" EXO+ TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Saddle	Fizik Terra Ridon X5 145mm
Seatpost Remote	Shimano SL-MT500 I-Spec EV
Dropper post	OC Mountain Control MC22, 31.6mm, Dropper
Op.	OC Mountain Control MC10, 31.6mm, Dropper
Lights	N/A
Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810

Battery	Orbea Internal 630Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	N/A
Op.	OC MT-20 FLP Multitool 2/3/4/5mm hex + OC Rear Axle lever

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise Carbon LT

Height (cm)	In	Sizes
150-170	59.1"-66.9"	S
160-180	63.0"-70.9"	M
170-190	66.9"-74.8"	L
180-200	70.9"-78.7"	XL


Myo
CM

Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP

Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ

Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR

Escape Green Carbon View (Matt) - Cobalt Tide (Gloss)
IS



Size	S - High	M - High	L - High	XL - High	S - Low	M - Low	L - Low	XL - Low
1 - Seat Tube (C-T)	400	410	420	440	400	410	420	440
2 - Top Tube (EFF)	569.35	596.31	623.28	650.24	570.35	597.33	624.32	651.3
3 - Head Tube	100	110	120	130	100	110	120	130
4 - Chainstay	443	443	443	443	443	443	443	443
5 - BB Drop	26	26	26	26	26	26	26	26
6 - BB Height	350.5	350.5	350.5	350.5	344.45	344.45	344.45	344.45
7 - Wheelbase	1207.98	1237.28	1266.59	1295.89	1208.66	1237.96	1267.27	1296.57
8 - Head Angle	64.5	64.5	64.5	64.5	64.05	64.05	64.05	64.05
9 - Seat Angle	77.72	77.72	77.72	77.72	77.27	77.27	77.27	77.27
10 - Rake	44	44	44	44	44	44	44	44
11 - Standover	815.9	823.98	832.01	840.11	811.44	819.5	827.5	835.58
12 - Reach	435	460	485	510	430.11	455.16	480.2	505.24
13 - Stack	617.21	626.23	635.26	644.28	620.62	629.76	638.89	648.02
14 - Fork Length	575	575	575	575	575	575	575	575

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise LT M-LTD RS 420W Ref. U348

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Myo
CM



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Escape Green Carbon View (Matt) - Cobalt Tide (Gloss)
IS



Escape Green Carbon View (Matt) - Cobalt Tide (Gloss) IS

Frame	Orbea Rise OMR
Shock	Fox DHX Factory 2-Pos Adjust custom tune 210x55mm
Op.	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 400lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 450lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 500lbs
	Fox Float X Factory 2-Pos Adj Evol LV Kash cm tune 210x55mm
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 550lbs
Fork	Fox 36 Float Factory 160, Grip X, QR15x110, Kashima
Chainring	e*thirteen Helix Race e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano MT820-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC10 Carbon, Rise 20, Width 800
Stem	OC Mountain Control MC11 Alu SL, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano XTR M9250
Cable routing	External Cable Routing
Op.	Internal Cable Routing
Brakes	Shimano XTR 9220 Hydraulic Disc

Op.	Trickstuff Direttissima Hydraulic Disc
Rotors	Galfer Shark Rotors 203mm front / 203mm rear
Rear Derailleur	Shimano XTR M9290
Chain	Shimano CN-9100
Wheels	Oquo Mountain Control MC32LTD
Op.	Oquo Mountain Control MC32TEAM (29" Front / 27,5" Rear)
	Oquo Mountain Control MC32TEAM
Cassette	Shimano CS-M9200 10-51t 12-Speed
Tyres	Maxxis Assegai 2.50" 60TPI Fold 3C MaxxGrip Exo+ TR
Op.	Maxxis Assegai 2.50" DH TR(F/Minion DHR II 2.40" DH TR(R
	Schwalbe Magic Mary 29x2.50" TR(F/Tacky Chan 29x2.50" TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Tyres	Maxxis Minion DHR II 2.40" 60TPI Fold 3C MaxxTerra Exo+ TR
Saddle	Fizik Terra Ridon X1 145mm
Dropper post	OC Mountain Control MC10, 31.6mm, Electronic Dropper
Mudguard	Fox Fork, Short
Op.	Fox 36-38 Fork Long Mudguard
Lights	N/A

Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810
Battery	Orbea Internal 420Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller with eDropper Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	OC FLP Multitool MT-20, Hex 2, 3, 4, 5 + OC Rear axle lever (Hex 6 & valve core removal)
Tools 2	OC Rear axle lever (Hex 6 + valve core removal)

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise LT M-LTD RS 630W Ref. U351

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Myo
CM



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Escape Green Carbon View (Matt) - Cobalt Tide (Gloss)
IS



Escape Green Carbon View (Matt) - Cobalt Tide (Gloss) IS

Frame	Orbea Rise OMR
Shock	Fox DHX Factory 2-Pos Adjust custom tune 210x55mm
Op.	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 400lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 450lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 500lbs
	Fox Float X Factory 2-Pos Adj Evol LV Kash cm tune 210x55mm
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 550lbs
Fork	Fox 36 Float Factory 160, Grip X, QR15x110, Kashima
Chainring	e*thirteen Helix Race e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano MT820-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC10 Carbon, Rise 20, Width 800
Stem	OC Mountain Control MC11 Alu SL, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano XTR M9250
Cable routing	External Cable Routing
Op.	Internal Cable Routing
Brakes	Shimano XTR 9220 Hydraulic Disc

Op.	Trickstuff Direttissima Hydraulic Disc
Rotors	Galfer Shark Rotors 203mm front / 203mm rear
Rear Derailleur	Shimano XTR M9290
Chain	Shimano CN-9100
Wheels	Oquo Mountain Control MC32LTD
Op.	Oquo Mountain Control MC32TEAM (29" Front / 27,5" Rear)
	Oquo Mountain Control MC32TEAM
Cassette	Shimano CS-M9200 10-51t 12-Speed
Tyres	Maxxis Assegai 2.50" 60TPI Fold 3C MaxxGrip Exo+ TR
Op.	Maxxis Assegai 2.50" DH TR(F/Minion DHR II 2.40" DH TR(R
	Schwalbe Magic Mary 29x2.50" TR(F/Tacky Chan 29x2.50" TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Tyres	Maxxis Minion DHR II 2.40" 60TPI Fold 3C MaxxTerra Exo+ TR
Saddle	Fizik Terra Ridon X1 145mm
Dropper post	OC Mountain Control MC10, 31.6mm, Electronic Dropper
Mudguard	Fox Fork, Short
Op.	Fox 36-38 Fork Long Mudguard
Lights	N/A

Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810
Battery	Orbea Internal 630Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller with eDropper Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	OC FLP Multitool MT-20, Hex 2, 3, 4, 5 + OC Rear axle lever (Hex 6 & valve core removal)
Tools 2	OC Rear axle lever (Hex 6 + valve core removal)

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise LT M10 RS 420W Ref. U347

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Myo
CM



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss) IQ

Frame	Orbea Rise OMR
Shock	Fox Float X Factory 2-Pos Adjust Evol LV Kashima custom tune 210x55mm
Op.	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 400lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 450lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 500lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 550lbs
Fork	Fox 36 Float Factory 160, Grip X, QR15x110, Kashima
Chainring	e*thirteen Helix Core e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano UT610-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC10 Carbon, Rise 20, Width 800
Op.	OC Mountain Control MC10 Carbon, Rise 35, Width 800
Stem	OC Mountain Control MC20, 0º
Op.	OC Mountain Control MC11 Alu SL, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano XT M8250
Cable routing	External Cable Routing

Op.	Internal Cable Routing
Brakes	Shimano XT 8220 Hydraulic Disc
Op.	Shimano XTR M9220 Hydraulic Disc
Rotors	Galfer Wave Rotors 203mm front / 180mm rear
Op.	Galfer Shark Rotors 203mm front / 203mm rear
Rear Derailleur	Shimano XT M8290
Op.	Shimano XTR Di2 M9290 12s SGS Shadow Plus + Shifter M9250
Chain	Shimano M7100
Wheels	Oquo Mountain Control MC32PRO
Op.	Oquo Mountain Control MC32LTD
	Oquo Mountain Control MC32PRO (29" Front / 27,5" Rear)
Cassette	Shimano CS-M7200 10-51t 12-Speed
Tyres	Maxxis Assegai 2.50" 60TPI Fold 3C MaxxGrip Exo+ TR
Op.	Maxxis Assegai 2.50" DH TR(F/Minion DHR II 2.40" DH TR(R
	Schwalbe Magic Mary 29x2.50" TR(F/Tacky Chan 29x2.50" TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Tyres	Maxxis Minion DHR II 2.40" 60TPI Fold 3C MaxxTerra Exo+ TR
Saddle	Fizik Terra Ridon X5 145mm

Op.	Fizik Ridon X1
Dropper post	OC Mountain Control MC10, 31.6mm, Electronic Dropper
Mudguard	N/A
Op.	Fox 36-38 Fork Long Mudguard
	Fox 36-38 Fork Short Mudguard
Lights	N/A
Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810
Battery	Orbea Internal 420Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller with eDropper Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	OC FLP Multitool MT-20, Hex 2, 3, 4, 5 + OC Rear axle lever (Hex 6 & valve core removal)
Tools 2	OC Rear axle lever (Hex 6 + valve core removal)

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise LT M10 RS 630W Ref. U350

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Myo
CM



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss) IQ

Frame	Orbea Rise OMR
Shock	Fox Float X Factory 2-Pos Adjust Evol LV Kashima custom tune 210x55mm
Op.	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 400lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 450lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 500lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 550lbs
Fork	Fox 36 Float Factory 160, Grip X, QR15x110, Kashima
Chainring	e*thirteen Helix Core e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano UT610-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC10 Carbon, Rise 20, Width 800
Op.	OC Mountain Control MC10 Carbon, Rise 35, Width 800
Stem	OC Mountain Control MC20, 0º
Op.	OC Mountain Control MC11 Alu SL, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano XT M8250
Cable routing	External Cable Routing

Op.	Internal Cable Routing
Brakes	Shimano XT 8220 Hydraulic Disc
Op.	Shimano XTR M9220 Hydraulic Disc
Rotors	Galfer Wave Rotors 203mm front / 180mm rear
Op.	Galfer Shark Rotors 203mm front / 203mm rear
Rear Derailleur	Shimano XT M8290
Op.	Shimano XTR Di2 M9290 12s SGS Shadow Plus + Shifter M9250
Chain	Shimano M7100
Wheels	Oquo Mountain Control MC32PRO
Op.	Oquo Mountain Control MC32LTD
	Oquo Mountain Control MC32PRO (29" Front / 27,5" Rear)
Cassette	Shimano CS-M7200 10-51t 12-Speed
Tyres	Maxxis Assegai 2.50" 60TPI Fold 3C MaxxGrip Exo+ TR
Op.	Maxxis Assegai 2.50" DH TR(F/Minion DHR II 2.40" DH TR(R
	Schwalbe Magic Mary 29x2.50" TR(F/Tacky Chan 29x2.50" TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Tyres	Maxxis Minion DHR II 2.40" 60TPI Fold 3C MaxxTerra Exo+ TR
Saddle	Fizik Terra Ridon X5 145mm

Op.	Fizik Ridon X1
Dropper post	OC Mountain Control MC10, 31.6mm, Electronic Dropper
Mudguard	N/A
Op.	Fox 36-38 Fork Long Mudguard
	Fox 36-38 Fork Short Mudguard
Lights	N/A
Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810
Battery	Orbea Internal 630Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller with eDropper Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	OC FLP Multitool MT-20, Hex 2, 3, 4, 5 + OC Rear axle lever (Hex 6 & valve core removal)
Tools 2	OC Rear axle lever (Hex 6 + valve core removal)

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise LT M20 420W

Ref. U346

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Myo
CM



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss) IR

Frame	Orbea Rise OMR
Shock	Fox Float X Factory 2-Pos Adjust Evol LV Kashima custom tune 210x55mm
Op.	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 400lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 450lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 500lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 550lbs
Fork	Fox 36 Float Factory 160, Grip X, QR15x110, Kashima
Chainring	e*thirteen Helix Core e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano UT610-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC31, Rise20, Width 800
Op.	OC Mountain Control MC10 Carbon, Rise 35, Width 800
	OC Mountain Control MC10 Carbon, Rise 20, Width 800
Grips	OC Lock On
Stem	OC Mountain Control MC20, 0º
Op.	OC Mountain Control MC11 Alu SL, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano Deore M6200 I-Spec EV
Cable routing	External Cable Routing

Op.	Internal Cable Routing
Brakes	Shimano MT620 Hydraulic Disc
Op.	Shimano XT 8220 Hydraulic Disc
Rotors	Galfer Wave Rotors 203mm front / 180mm rear
Op.	Galfer Shark Rotors 203mm front / 203mm rear
Rear Derailleur	Shimano XT M8200 SGS Shadow Plus
Op.	Shimano XT Di2 M8290 12s SGS Shadow Plus + Shifter M8250
Chain	Shimano M6100
Wheels	Race Face AR 30c Tubeless Ready
Op.	Oquo Mountain Control MC32TEAM
	Race Face AR 30c Tubeless Ready (29" Front / 27,5" Rear)
Cassette	Shimano CS-M7200 10-51t 12-Speed
Tyres	Maxxis Assegai 2.50" 60TPI Fold 3C MaxxGrip Exo+ TR
Op.	Maxxis Assegai 2.50" DH TR(F/Minion DHR II 2.40" DH TR(R
	Schwalbe Magic Mary 29x2.50" TR(F/Tacky Chan 29x2.50" TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Tyres	Maxxis Minion DHR II 2.40" 60TPI Fold 3C MaxxTerra Exo+ TR
Saddle	Fizik Terra Ridon X5 145mm
Seatpost Remote	Shimano SL-MT500 I-Spec EV

Dropper post	OC Mountain Control MC22, 31.6mm, Dropper
Op.	OC Mountain Control MC10, 31.6mm, eDropper
	OC Mountain Control MC10, 31.6mm, Dropper
Mudguard	N/A
Op.	Fox 36-38 Fork Long Mudguard
	Fox 36-38 Fork Short Mudguard
Lights	N/A
Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810
Battery	Orbea Internal 420Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	N/A
Op.	OC MT-20 FLP Multitool 2/3/4/5mm hex
Tools 2	OC Rear axle lever (Hex 6 + valve core removal)

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise LT M20 630W

Ref. U349

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Myo
CM



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss) IR

Frame	Orbea Rise OMR
Shock	Fox Float X Factory 2-Pos Adjust Evol LV Kashima custom tune 210x55mm
Op.	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 400lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 450lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 500lbs
	Fox DHX Factory 2-Pos Adjust cm tune 210x55mm 550lbs
Fork	Fox 36 Float Factory 160, Grip X, QR15x110, Kashima
Chainring	e*thirteen Helix Core e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano UT610-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC31, Rise20, Width 800
Op.	OC Mountain Control MC10 Carbon, Rise 35, Width 800
	OC Mountain Control MC10 Carbon, Rise 20, Width 800
Grips	OC Lock On
Stem	OC Mountain Control MC20, 0º
Op.	OC Mountain Control MC11 Alu SL, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano Deore M6200 I-Spec EV
Cable routing	External Cable Routing

Op.	Internal Cable Routing
Brakes	Shimano MT620 Hydraulic Disc
Op.	Shimano XT 8220 Hydraulic Disc
Rotors	Galfer Wave Rotors 203mm front / 180mm rear
Op.	Galfer Shark Rotors 203mm front / 203mm rear
Rear Derailleur	Shimano XT M8200 SGS Shadow Plus
Op.	Shimano XT Di2 M8290 12s SGS Shadow Plus + Shifter M8250
Chain	Shimano M6100
Wheels	Race Face AR 30c Tubeless Ready
Op.	Oquo Mountain Control MC32TEAM
	Race Face AR 30c Tubeless Ready (29" Front / 27,5" Rear)
Cassette	Shimano CS-M7200 10-51t 12-Speed
Tyres	Maxxis Assegai 2.50" 60TPI Fold 3C MaxxGrip Exo+ TR
Op.	Maxxis Assegai 2.50" DH TR(F/Minion DHR II 2.40" DH TR(R
	Schwalbe Magic Mary 29x2.50" TR(F/Tacky Chan 29x2.50" TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Tyres	Maxxis Minion DHR II 2.40" 60TPI Fold 3C MaxxTerra Exo+ TR
Saddle	Fizik Terra Ridon X5 145mm
Seatpost Remote	Shimano SL-MT500 I-Spec EV

Dropper post	OC Mountain Control MC22, 31.6mm, Dropper
Op.	OC Mountain Control MC10, 31.6mm, eDropper
	OC Mountain Control MC10, 31.6mm, Dropper
Mudguard	N/A
Op.	Fox 36-38 Fork Long Mudguard
	Fox 36-38 Fork Short Mudguard
Lights	N/A
Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810
Battery	Orbea Internal 630Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	N/A
Op.	OC MT-20 FLP Multitool 2/3/4/5mm hex
Tools 2	OC Rear axle lever (Hex 6 + valve core removal)

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise LT M30 420W

Ref. U332

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss) IR

Frame	Orbea Rise OMR
Shock	Fox Float X Performance 2-Pos Evol LV custom tune 210x55mm
Fork	Fox 36 Float Performance 160, Grip 3-Pos, QR15x110
Chainring	e*thirteen Helix Core e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano UT610-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC31, Rise20, Width 800
Grips	OC Lock On
Stem	OC Mountain Control MC20, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano Deore M6200 I-Spec EV
Cable routing	External Cable Routing
Op.	Internal Cable Routing
Brakes	Shimano MT420 Hydraulic Disc
Op.	Shimano MT620 Hydraulic Disc
Rotors	Galfer Wave Rotors 203mm front / 180mm rear
Op.	Galfer Shark Rotors 203mm front / 203mm rear

Rear Derailleur	Shimano Deore M6200 SGS Shadow Plus
Chain	Shimano M6100
Wheels	Race Face AR 30c Tubeless Ready
Op.	Race Face AR 30c Tubeless Ready (29" Front / 27,5" Rear)
Cassette	Shimano CS-M6200 10-51t 12-Speed
Tyres	Maxxis Assegai 2.50" 60TPI Fold 3C MaxxGrip Exo+ TR
Op.	Maxxis Assegai 2.50" DH TR(F/Minion DHR II 2.40" DH TR(R
	Schwalbe Magic Mary 29x2.50" TR(F/Tacky Chan 29x2.50" TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Tyres	Maxxis Minion DHR II 2.40" 60TPI Fold 3C MaxxTerra Exo+ TR
Saddle	Fizik Terra Ridon X5 145mm
Seatpost Remote	Shimano SL-MT500 I-Spec EV
Dropper post	OC Mountain Control MC22, 31.6mm, Dropper
Op.	OC Mountain Control MC10, 31.6mm, Dropper
Mudguard	N/A
Op.	Fox 36-38 Fork Long Mudguard
	Fox 36-38 Fork Short Mudguard

Lights	N/A
Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810
Battery	Orbea Internal 420Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	N/A
Op.	OC MT-20 FLP Multitool 2/3/4/5mm hex
Tools 2	OC Rear axle lever (Hex 6 + valve core removal)

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

Rise LT M30 630W

Ref. U333

Size	Crank	Stem	Handlebar
S	165	35	800
M	165	40	800
L	165	40	800
XL	165	50	800



Caramel Carbon View (Matt)-Titan Gold Lightning (Gloss)
IP



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss)
IR



Frozen Concrete (Matt)-Noctiluca Carbon View (Gloss)
IQ



Fantasy Purple Carbon View (Gloss)-Royal Plum (Gloss) IR

Frame	Orbea Rise OMR
Shock	Fox Float X Performance 2-Pos Evol LV custom tune 210x55mm
Fork	Fox 36 Float Performance 160, Grip 3-Pos, QR15x110
Chainring	e*thirteen Helix Core e*spec Direct Mount 32T 55mm ChainLine
Crank	Shimano UT610-E
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Control MC31, Rise20, Width 800
Grips	OC Lock On
Stem	OC Mountain Control MC20, 0º
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Shifters	Shimano Deore M6200 I-Spec EV
Cable routing	External Cable Routing
Op.	Internal Cable Routing
Brakes	Shimano MT420 Hydraulic Disc
Op.	Shimano MT620 Hydraulic Disc
Rotors	Galfer Wave Rotors 203mm front / 180mm rear
Op.	Galfer Shark Rotors 203mm front / 203mm rear

Rear Derailleur	Shimano Deore M6200 SGS Shadow Plus
Chain	Shimano M6100
Wheels	Race Face AR 30c Tubeless Ready
Op.	Race Face AR 30c Tubeless Ready (29" Front / 27,5" Rear)
Cassette	Shimano CS-M6200 10-51t 12-Speed
Tyres	Maxxis Assegai 2.50" 60TPI Fold 3C MaxxGrip Exo+ TR
Op.	Maxxis Assegai 2.50" DH TR(F/Minion DHR II 2.40" DH TR(R
	Schwalbe Magic Mary 29x2.50" TR(F/Tacky Chan 29x2.50" TR(R
	Maxxis Assegai 2.50" EXO+ TR(F/Minion DHR II 2.40" DD TR(R
Tyres	Maxxis Minion DHR II 2.40" 60TPI Fold 3C MaxxTerra Exo+ TR
Saddle	Fizik Terra Ridon X5 145mm
Seatpost Remote	Shimano SL-MT500 I-Spec EV
Dropper post	OC Mountain Control MC22, 31.6mm, Dropper
Op.	OC Mountain Control MC10, 31.6mm, Dropper
Mudguard	N/A
Op.	Fox 36-38 Fork Long Mudguard
	Fox 36-38 Fork Short Mudguard

Lights	N/A
Op.	Lezyne Macro Drive X lock (front)+Lezyne Femto StVZO (rear)
Chainguide	Orbea eBike chainguide
Motor	Shimano EP810
Battery	Orbea Internal 630Wh
Range Extender	N/A
Op.	Orbea Custom Range Extender 210Wh
Remote1	Orbea System Controller Remote
Charger	Orbea 2.Generation eBike Smart charger 42V/2-4A
Tools 1	N/A
Op.	OC MT-20 FLP Multitool 2/3/4/5mm hex
Tools 2	OC Rear axle lever (Hex 6 + valve core removal)

We reserve the right to modify, without prior notice, any aspect related to the content of this document, such as technical specifications of the products (sizes, designs, assemblies, etc.), colors, or prices.

ORBEA